

# VERISAFE™ 1.0



För tekniskt datablad och mer info, tryck

## GALLERY IMAGES





## BESKRIVNING

Artikelnummer	E-nummer	Beskrivning
VS-AVT-C08-L10		VeriSafe 1.0 AVT, 2.4m system cable, 3m sensor leads
VS-AVT-C02-L03		VeriSafe 1.0 AVT, 0.6m system cable, 0.9m sensor leads
VS-CKP14-6		Insulation Piercing Connection Kit for Tapping 14 to 6 AWG conductors. Rated for 600V installations. Kit includes 3 connectors for installation of a single AVT
VS-CKP4-000		Insulation Piercing Connection Kit for Tapping 4 to 3/0 AWG conductors. Rated for 600V installations. Kit includes 3 connectors for installation of a single AVT
VS-CKP1K4/0-500		Insulation Piercing Connection Kit for Tapping AWG 4/0 to 500MCM copper conductors. Rated for 1KV installations. Kit includes 3 connectors for installation of a single AVT
VS-AVT-CABLE-02		VeriSafe 1.0 AVT Replacement Cable, 0.6m, for use with VeriSafe 1.0 AVTs only
VS-AVT-CABLE-04		VeriSafe 1.0 AVT Replacement Cable, 1.2m, for use with VeriSafe 1.0 AVTs only
VS-AVT-CABLE-08		VeriSafe 1.0 AVT Replacement Cable, 2.4m, for use with VeriSafe 1.0 AVTs only
VS-AVT-CABLE-16		VeriSafe 1.0 AVT Replacement Cable, 4.8m, for use with VeriSafe 1.0 AVTs only
VS-AVT-CABLE-20		VeriSafe 1.0 AVT Replacement Cable, 6.0m, for use with VeriSafe 1.0 AVTs only
VS-AVT-CABLE-30		VeriSafe 1.0 AVT Replacement Cable, 9.1m, for use with VeriSafe 1.0 AVTs only
VS-AVT-DL		VeriSafe 1.0 Diagnostic Codes Label. English, German, Mandarin, French Canadian, Italian, Korean, Spanish and French
VS-AVT-RL		VeriSafe 1.0 Instruction Label. English, German, Mandarin, French Canadian, Italian, Korean, Spanish and French
VS-AVT-ROR		Replacement Gaskets for Battery Indicator Module, compatible with Verisafe 1.0 and 2.0
VS-AVT-BATTERY		Replacement Battery, compatible with Verisafe 1.0 and 2.0, 3.6V lithium ion. AA form factor